

### Kematone Matt

High Quality Plastic Matt Paint For Interior And Exterior Use

#### Description:

- **KEMATONE MATT:** is matt latex paint with high quality titanium dioxide.
- Complies with ESS 1539.

#### Fields of Use:

- Matt paint for cement plastering, concrete, masonry, asbestos and wood surfaces.
- Can be applied on gypsum surfaces, after applying a primer coat of **ADDIBOND 65** diluted with water (ratio 1 : 3).
- Suitable for exterior and interior uses.

#### Advantages:

- High coverage at low consumption rate.
- Can be used for both exterior and interior applications.
- Resists the effects of atmospheric conditions, ultraviolet rays and moisture.
- Intense white or coloured to suit all requirements.
- Can be washed with water.
- High resistance to friction and abrasion.
- Fast drying.
- Durable, and its colour does not change with time.
- High flexibility and complies ESS 1539.

#### Technical Data :( at 25° C)

Colour	White or coloured
Density	1.34 ± 0.02 kg/l
Viscosity	15 - 20 Poise
PH	7.5 - 8.5
Rate of use	6 - 8 m <sup>2</sup> / kg

#### Directions for Use:

- Stir **KEMATONE MATT** well before use.
- The surface, to be painted must be free from dust, oil, grease etc.
- Porous surfaces should be primed with a coat of **KEMABIND** diluted with water (ratio 1 : 1) .
- Cavities should be filled and surfaces must be smoothed using **KEMATONE PUTTY**.
- Apply an under coat of **KEMAKOTE 400**.
- Apply one or more coats of **KEMATONE MATT** according to the surface conditions using a brush, roller or sprayer.
- In the case of using sprayer, dilute **KEMATONE MATT** with 5 - 10 % water.
- All tools should be cleaned with water directly after use.

#### Safety Precautions:

- Wear gloves and goggles.
- Skin and face contamination should be washed with water.
- Accidental splashes to eyes must be rinsed with clean water and then report to a specialist.
- Do not eat or smoke during use.

#### Storage:

- 12 months under suitable storage conditions.

#### Packages:

- 1 kg, 4 kg, and 9 liters.